

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- a1
1. (Original): In a network operating system containing a client-side delayed close list of cached open files with cached filenames, a method for purging from the delayed close list the cached open files which reference a target file located on a remote server, the target file having a target filename, the method comprising:
 - storing a unique file identifier for each of the cached files, wherein the unique file identifier is independent of the cached filenames;
 - receiving a target file identifier for the target file from the server, wherein the target file identifier is independent of the target filename; and
 - purging from the delayed close list the cached open files having the same unique file identifier as the target file identifier.
 2. (Original): The method of claim 1, further comprising receiving a delete command for the target file from an application executing on the networking operating system.
 3. (Original): The method of claim 2, further comprising issuing the delete command to the remote server.
 4. (Original): The method of claim 1, further comprising receiving a rename command for the target file from an application executing on the networking operating system.
 5. (Original): The method of claim 4, further comprising issuing the rename command to the remote server.
 6. (Original): The method of claim 1, further comprising querying the remote server for the unique file identifier.

7. (Original): The method of claim 1, further comprising querying the remote server for the target file identifier.

8. (Original): The method of claim 1, wherein the purging further comprises comparing the unique file identifier with the target file identifier.

a) 9. (Original): The method of claim 1, wherein the purging further comprises closing the cached open files having the same unique file identifier as the target file identifier.

10. (Original): The method of claim 1, wherein the purging further comprises deleting entries from the delayed close list corresponding to the cached open files having the same unique file identifier as the target file identifier.

11. (Original): The method of claim 1, wherein the unique file identifier and the target file identifier are universal file identifiers.

12. (Original): The method of claim 1, wherein the method is encoded in a computer program product readable by a computing system.

1P/1PZ 13. (Currently Amended) A computer-readable medium having stored thereon a file-handle data structure for ~~purging a delayed close list of cached open files~~ representing a file referenced by different filenames, the data structure comprising:

A a namespace field representing a ~~network~~ filename for ~~a remote~~ the file; and

B a unique file identifier for the file independent of the ~~network~~ filename.

14. (Original): The method of claim 13, wherein the unique file identifier is a universal file identifier.

15. (Original): A computer program product readable by a computing system and encoding a computer program of instructions for executing a computer process for purging from a client-side delayed close list a cached open file which references a target file located on a server, the computer process comprising:

storing a file namespace for the cached open file;

storing a unique file identifier for the cached open file, wherein the unique file identifier is independent of the file namespace;

receiving a target namespace for the target file;

receiving a target file identifier for the target file from the server, wherein the target file identifier is independent of the target namespace; and

purging from the delayed close list the cached open file if the cached open file has the same unique file identifier as the target file identifier.

16. (Original): The computer program of claim 15, wherein the computer process further comprises receiving a delete command for the target file from an executing application.

17. (Original): The computer program of claim 16, wherein the computer process further comprises issuing the delete command to the server.

18. (Original): The computer program of claim 15, wherein the computer process further comprises receiving a rename command for the target file from an executing application.

19. (Original): The computer program of claim 18, wherein the computer process further comprises issuing the rename command to the server.

20. (Original): The computer program of claim 15, wherein the computer process further comprises querying the server for the unique file identifier.

21. (Original): The computer program of claim 15, wherein the computer process further comprises querying the server for the target file identifier.

22. (Original): The computer program of claim 15, wherein the purging further comprises comparing the unique file identifier with the target file identifier.

23. (Original): The computer program of claim 15, wherein the purging further comprises closing the cached open files having the same unique file identifier as the target file identifier.

24. (Original): The computer program of claim 15, wherein the purging further comprises deleting entries from the delayed close list corresponding to the cached open files having the same unique file identifier as the target file identifier.

25. (Original): The computer program of claim 15, wherein the unique file identifier and the target file identifier are universal file identifiers.
